



WOYR8.E506521 - Switches, Appliance and Special Use Certified for Canada - Component

Switches, Appliance and Special Use Certified for Canada - Component

Switch Components Inc
 1675 Pioneer Way, Suite C
 El Cajon, CA 92020 United States

E506521

Investigated to CAN/CSA-C22.2 No. 61058-1

Cat. No.	Load	Amps	Volts	Hz	Temp (°C)	Pol/	Endurance		Dis IP (mm)	SPCA	Std. Ed.	
						Cir	30C cycle	55C cycle				
Rocker												
RA1-1D-DC-2-B	GP	10(4)	125,250	50-60	85	1/2-3.2	6K	10K	-	full 2	2A,2B,2C,2D	-
RA1-1D-DC-2-B-4	GP	10(4)	125,250	50-60	85	1/2-3.2	6K	10K	-	full 2	2A,2B,2C,2D	-
RA1-1E-DC-2-B	GP	10(4)	125,250	50-60	85	1/2-3.2	6K	10K	-	full 1.5	2A, 2B, 2C, 2D	-
	R	20	14	DC	85	-	6K	10K	-			
	R	10	28	DC	85	-	6K	10K	-			
RA1-1F-DC-2-B	GP	10(4)	125,250	50-60	85	1/2-3.2	6K	10K	-	full 1.5	2A, 2B, 2C, 2D	-
	R	20	14	DC	85	-	6K	10K	-			
	R	10	28	DC	85	-	6K	10K	-			
RA1-1F-	GP	10(4)	125,250	50-60	85	1/2-3.2	6K	10K	-	full 1.5	2A, 2B, 2C, 2D	-

DC-2-B-5												
	R	20	14	DC	85	-	6K	10K	-			
	R	10	28	DC	85	-	6K	10K	-			
RA1-1G-DC-2-B	GP	10(4)	125,250	50-60	85	1/2-3.2	6K	10K	-	full 1.5	2A, 2B, 2C, 2D	-
	R	20	14	DC	85	-	6K	10K	-			
	R	10	28	DC	85	-	6K	10K	-			
RA1-1H-DC-2-B	GP	10(4)	125,250	50-60	85	1/2-3.2	6K	10K	-	full 1.5	2A, 2B, 2C, 2D	-
	R	20	14	DC	85	-	6K	10K	-			
	R	10	28	DC	85	-	6K	10K	-			
RA1-2A-DC-2-AL	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,2,20A	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA1-2A-DC-2-B	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,20A	-

	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA1-2A-DC-2-B-1	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,20A	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA1-2A-DC-2-B-2	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,20A	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-	85	2/1-	6K	10K	-			

				60		1.3						
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA1-2A-DC-2-B-3	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,20A	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA1-2A-DC-2-GL	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,2,20A	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			

	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA1-2A-DC-2-RL	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,2,20A	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA1-2A-DC-2-UL	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,2,20A	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-	T85/55	2/1-	6K	10K	-			

				60		1.3						
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA1-2D-DC-2-B	R	10	28	DC	85	2/2-2.4	6K	10K	-	full 3.2	1,20A	-
	R	10	28	DC	T85/55	2/2-2.4	6K	10K	-			
	GP	10(4)	125	50-60	85	2/2-2.4	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/2-2.4	6K	10K	-			
	GP	10(4)	250	50-60	85	2/2-2.4	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/2-2.4	6K	10K	-			
	R	16	125	50-60	85	2/2-2.4	6K	10K	-			
	R	16	125	50-60	T85/55	2/2-2.4	6K	10K	-			
RA1-2E-DC-2-B	R	10	28	DC	85	2/2-2.4	6K	10K	-	full 1.5	1,20A	-
	R	10	28	DC	T85/55	2/2-2.4	6K	10K	-			
	GP	10(4)	125	50-60	85	2/2-2.4	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/2-2.4	6K	10K	-			
	GP	10(4)	250	50-60	85	2/2-2.4	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/2-2.4	6K	10K	-			
	R	16	125	50-60	85	2/2-2.4	6K	10K	-			

	R	16	125	50-60	T85/55	2/2-2.4	6K	10K	-			
RA1-2F-DC-2-B	R	10	28	DC	85	2/2-3.4	6K	10K	-	full 1.5	1,20A	-
	R	10	28	DC	T85/55	2/2-3.4	6K	10K	-			
	GP	10(4)	125	50-60	85	2/2-3.4	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/2-3.4	6K	10K	-			
	GP	10(4)	250	50-60	85	2/2-3.4	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/2-3.4	6K	10K	-			
	R	16	125	50-60	85	2/2-3.4	6K	10K	-			
	R	16	125	50-60	T85/55	2/2-3.4	6K	10K	-			
RA1-2F-DC-2-B-5	R	10	28	DC	85	2/2-3.4	6K	10K	-	full 1.5	1,20A	-
	R	10	28	DC	T85/55	2/2-3.4	6K	10K	-			
	GP	10(4)	125	50-60	85	2/2-3.4	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/2-3.4	6K	10K	-			
	GP	10(4)	250	50-60	85	2/2-3.4	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/2-3.4	6K	10K	-			
	R	16	125	50-60	85	2/2-3.4	6K	10K	-			
	R	16	125	50-60	T85/55	2/2-3.4	6K	10K	-			
RA4-	GP	10(4)	125,250	50-	85	1/1-	6K	10K	-	full	2A, 2B, 2C,	-

1A-DC-2-AL				60		2.2				2	2D	
RA4-1A-DC-2-B	GP	10(4)	125,250	50-60	85	1/1-2.2	6K	10K	-	full 2	2A, 2B, 2C, 2D	-
RA4-1A-DC-2-GL	GP	10(4)	125,250	50-60	85	1/1-2.2	6K	10K	-	full 2	2A, 2B, 2C, 2D	-
RA4-1A-DC-2-RL	GP	10(4)	125,250	50-60	85	1/1-2.2	6K	10K	-	full 2	2A, 2B, 2C, 2D	-
RA4-1A-DC-2-UL	GP	10(4)	125,250	50-60	85	1/1-2.2	6K	10K	-	full 2	2A, 2B, 2C, 2D	-
RA4-1D-DC-2-B	GP	10(4)	125,250	50-60	85	1/2-3.2	6K	10K	-	full 2	2A, 2B, 2C, 2D	-
RA4-1F-DC-2-B	GP	10(4)	125,250	50-60	85	1/2-3.2	6K	10K	-	full 1.5	2A, 2B, 2C or 2D	-
	R	20	14	DC	85	-	6K	10K	-			
	R	10	28	DC	85	-	6K	10K	-			
RA4-2A-DC-2-AL	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,2,8	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			

	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA4-2A-DC-2-B	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,8	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA4-2A-DC-2-GL	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,2,8	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-	85	2/1-	6K	10K	-			

				60		1.3						
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA4-2A-DC-2-RL	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,2,8	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			
RA4-2A-DC-2-UL	R	10	28	DC	85	2/1-1.3	6K	10K	-	full 3.2	1,2,8	-
	R	10	28	DC	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	85	2/1-1.3	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/1-1.3	6K	10K	-			
	R	16	125	50-60	85	2/1-1.3	6K	10K	-			
	R	16	125	50-60	T85/55	2/1-1.3	6K	10K	-			

RA4-2D-DC-2-B	R	10	28	DC	85	2/2-2.4	6K	10K	-	full 3.2	1,8	-
	R	10	28	DC	T85/55	2/2-2.4	6K	10K	-			
	GP	10(4)	125	50-60	85	2/2-2.4	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/2-2.4	6K	10K	-			
	GP	10(4)	250	50-60	85	2/2-2.4	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/2-2.4	6K	10K	-			
	R	16	125	50-60	85	2/2-2.4	6K	10K	-			
	R	16	125	50-60	T85/55	2/2-2.4	6K	10K	-			
RA4-2F-DC-2-B	R	10	28	DC	85	2/2-3.4	6K	10K	-	full 1.5	1,8	-
	R	10	28	DC	T85/55	2/2-3.4	6K	10K	-			
	GP	10(4)	125	50-60	85	2/2-3.4	6K	10K	-			
	GP	10(4)	125	50-60	T85/55	2/2-3.4	6K	10K	-			
	GP	10(4)	250	50-60	85	2/2-3.4	6K	10K	-			
	GP	10(4)	250	50-60	T85/55	2/2-3.4	6K	10K	-			
	R	16	125	50-60	85	2/2-3.4	6K	10K	-			
	R	16	125	50-60	T85/55	2/2-3.4	6K	10K	-			
RE1-1A-DC-1-	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-

AL												
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE1-1A-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE1-1A-DC-1-GL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			

RE1-1A-DC-1-RL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE1-1A-DC-1-UL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE1-1B-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-	6K	10K	-			

						3.2						
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE1-1D-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE1-1F-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE1-1G-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			

	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE2-1A-DC-1-AL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE2-1A-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE2-1A-DC-1-GL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			

	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE2-1A-DC-1-RL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE2-1A-DC-1-UL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE2-1B-DC-1-	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-

B												
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE2-1D-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RE2-1F-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			

RE2-1G-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RF1-1A-DC-2-AL	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1A-DC-2-B	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-	T85	1/1-	6K	10K	-			

				60		1.2						
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1A-DC-2-B-1	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1A-DC-2-B-2	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			

	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1A-DC-2-B-3	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1A-DC-2-GL	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-	6K	10K	-			

						1.2						
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1A-DC-2-R	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1A-DC-2-R-1	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			

	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1A-DC-2-R-2	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1A-DC-2-R-3	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-	GP	16(4)	250	50-	T85	1/1-	6K	10K	-	full	Notes 11A,	-

1A-DC-2-RL				60		1.2				2	11B, 11C	
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1A-DC-2-UL	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1B-DC-2-B	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-

	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1B-DC-2-B-1	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1C-DC-2-B	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-	T85	1/1-	6K	10K	-			

				60		1.2						
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF1-1D-DC-2-B	GP	16(4)	250	50-60	T85	1/2-2.2	6K	10K	-	full 2.2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/2-2.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/2-2.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/2-2.2	6K	10K	-			
	R	16	12	DC	T85	1/2-2.2	6K	10K	-			
	R	16	12	DC	T85/55	1/2-2.2	6K	10K	-			
	R	6	28	DC	T85	1/2-2.2	6K	10K	-			
	R	6	28	DC	T85/55	1/2-2.2	6K	10K	-			
RF1-1D-DC-2-B-4	GP	16(4)	250	50-60	T85	1/2-2.2	6K	10K	-	full 2.2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/2-2.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/2-2.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/2-2.2	6K	10K	-			

	R	16	12	DC	T85	1/2-2.2	6K	10K	-			
	R	16	12	DC	T85/55	1/2-2.2	6K	10K	-			
	R	6	28	DC	T85	1/2-2.2	6K	10K	-			
	R	6	28	DC	T85/55	1/2-2.2	6K	10K	-			
RF1-1E-DC-2-B	GP	16(4)	250	50-60	T85	1/2-2.2	6K	10K	-	full 1.6	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/2-2.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/2-2.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/2-2.2	6K	10K	-			
	R	16	12	DC	T85	1/2-2.2	6K	10K	-			
	R	16	12	DC	T85/55	1/2-2.2	6K	10K	-			
	R	6	28	DC	T85	1/2-2.2	6K	10K	-			
	R	6	28	DC	T85/55	1/2-2.2	6K	10K	-			
RF1-1E-DC-2-B-4	GP	16(4)	250	50-60	T85	1/2-2.2	6K	10K	-	full 1.6	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/2-2.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/2-2.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/2-2.2	6K	10K	-			
	R	16	12	DC	T85	1/2-2.2	6K	10K	-			
	R	16	12	DC	T85/55	1/2-	6K	10K	-			

						2.2						
	R	6	28	DC	T85	1/2-2.2	6K	10K	-			
	R	6	28	DC	T85/55	1/2-2.2	6K	10K	-			
RF1-1F-DC-2-B	GP	16(4)	250	50-60	T85	1/2-3.2	6K	10K	-	full 1.5	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	6	28	DC	T85	1/2-3.2	6K	10K	-			
	R	6	28	DC	T85/55	1/2-3.2	6K	10K	-			
RF1-1F-DC-2-B-5	GP	16(4)	250	50-60	T85	1/2-3.2	6K	10K	-	full 1.5	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	6	28	DC	T85	1/2-3.2	6K	10K	-			

	R	6	28	DC	T85/55	1/2-3.2	6K	10K	-			
RF1-1G-DC-2-B	GP	16(4)	250	50-60	T85	1/2-3.2	6K	10K	-	full 1.5	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	6	28	DC	T85	1/2-3.2	6K	10K	-			
	R	6	28	DC	T85/55	1/2-3.2	6K	10K	-			
RF1-1G-DC-2-B-5	GP	16(4)	250	50-60	T85	1/2-3.2	6K	10K	-	full 1.5	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	6	28	DC	T85	1/2-3.2	6K	10K	-			
	R	6	28	DC	T85/55	1/2-3.2	6K	10K	-			
RF1-	GP	16(4)	250	50-	T85	1/2-	6K	10K	-	full	Notes 11A,	-

1H-DC-2-B				60		3.2				1.5	11B, 11C	
	GP	16(4)	250	50-60	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	6	28	DC	T85	1/2-3.2	6K	10K	-			
	R	6	28	DC	T85/55	1/2-3.2	6K	10K	-			
RF1-1H-DC-2-B-5	GP	16(4)	250	50-60	T85	1/2-3.2	6K	10K	-	full 1.5	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/2-3.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85	1/2-3.2	6K	10K	-			
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	6	28	DC	T85	1/2-3.2	6K	10K	-			
	R	6	28	DC	T85/55	1/2-3.2	6K	10K	-			
RF2-1A-DC-2-AL	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2	Notes 11A, 11B, 11C	-

	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF2-1A-DC-2-GL	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF2-1A-DC-2-RL	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-	T85	1/1-	6K	10K	-			

				60		1.2						
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF2-1A-DC-2-UL	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF3-1A-DC-2-AL	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			

	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF3-1A-DC-2-B	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF3-1A-DC-2-GL	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-	6K	10K	-			

						1.2						
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF3-1A-DC-2-RL	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF3-1A-DC-2-UL	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			

	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF3-1B-DC-2-B	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF3-1C-DC-2-B	GP	16(4)	250	50-60	T85	1/1-1.2	6K	10K	-	full 2.4	Notes 11A, 11B, 11C	-
	GP	16(4)	250	50-60	T85/55	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/1-1.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85	1/1-1.2	6K	10K	-			
	R	16	12	DC	T85/55	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85	1/1-1.2	6K	10K	-			
	R	6	28	DC	T85/55	1/1-1.2	6K	10K	-			
RF3-	GP	16(4)	250	50-	T85	1/2-	6K	10K	-	full	Notes 11A,	-

1D-DC-2-B				60		2.2				2.2	11B, 11C	
	GP	16(4)	250	50-60	T85/55	1/2-2.2	6K	10K	-			
	GP	16(4)	125	50-60	T85	1/2-2.2	6K	10K	-			
	GP	16(4)	125	50-60	T85/55	1/2-2.2	6K	10K	-			
	R	16	12	DC	T85	1/2-2.2	6K	10K	-			
	R	16	12	DC	T85/55	1/2-2.2	6K	10K	-			
	R	6	28	DC	T85	1/2-2.2	6K	10K	-			
	R	6	28	DC	T85/55	1/2-2.2	6K	10K	-			
RG1-1A-DC-1-AL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG1-1A-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			

	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG1-1A-DC-1-GL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG1-1A-DC-1-R-3	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG1-1A-DC-1-RL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			

	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG1-1A-DC-1-UL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG1-1B-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG1-1D-DC-1-	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-

B												
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG1-1F-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG1-1G-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			

RG2-1A-DC-1-AL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG2-1A-DC-1-GL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG2-1A-DC-1-RL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-	6K	10K	-			

						3.2						
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG2-1A-DC-1-UL	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
RG3-1A-DC-1-B	GP	16(4)	125-250	50-60	T85/55	1/2-3.2	6K	10K	-	full 1.5	12, 16A, 16B, 16D	-
	R	16	12	DC	T85/55	1/2-3.2	6K	10K	-			
	R	10	28	DC	T85/55	1/2-3.2	6K	10K	-			
	GP	16(4)	125-250	50-60	85	1/2-3.2	6K	10K	-			
	R	16	12	DC	85	1/2-3.2	6K	10K	-			
	R	10	28	DC	85	1/2-3.2	6K	10K	-			
SRA1-1A-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			

	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA1-1A-DC-1-NN-1	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA1-1A-DC-1-NN-2	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA1-1D-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			

	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA1-1E-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA1-1F-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA1-1G-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-

	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA1-1H-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA1-2A-DC-1-NN-2	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA1-2B-	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-

DC-1-NN												
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA1-2F-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA1-2G-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			

SRA1-2H-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA2-1D-DC-1-RG	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA2-1F-DC-1-AA	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			

	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA2-1F-DC-1-GG	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA2-1F-DC-1-RG	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA2-1F-DC-1-RR	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			

	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRA2-1F-DC-1-UU	GP	16(4)	125-250	50-60	T85/55	1,2/1,2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	-	6K	10K	-			
	-	10	0-28	DC	T85/55	-	6K	10K	-			
	-	10	0-28	DC	T85	-	6K	10K	-			
	R	20	0-125	50/60	T85/55	-	6K	10K	-			
	R	20	0-125	50/60	T85	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
	GP	20	0-125	50/60	T55	-	6K	10K	-			
SRB1-1A-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB1-1B-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB1-1D-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB1-1E-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-

	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB1-1F-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB1-1G-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB1-1H-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB1-2A-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB1-2D-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB1-2F-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB1-2G-DC-1-	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-

NN												
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB1-2H-DC-1-NN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB2-1A-DC-1-AN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB2-1A-DC-1-ANL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB2-1A-DC-1-GN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB2-1A-DC-1-GNL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB2-1A-DC-1-RN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB2-	GP	16(4)	125-	50-	T85/55	1/2,	6K	10K	-	full	17A, 17B,	-

1A-DC-1-RNL			250	60		2/2				1.6	17C, 17D	
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB2-1A-DC-1-UN	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB2-1A-DC-1-UNL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1D-DC-1-AA	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1D-DC-1-AAL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1D-DC-1-GG	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1D-DC-1-GGL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			

SRB3-1D-DC-1-RG	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1D-DC-1-RGL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1D-DC-1-RR	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1D-DC-1-RRL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1D-DC-1-UU	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1D-DC-1-UUL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1F-DC-1-AA	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-	50-	T85	1/2,	6K	10K	-			

			250	60		2/2						
SRB3-1F-DC-1-AAL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1F-DC-1-GG	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1F-DC-1-GGL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1F-DC-1-RG	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1F-DC-1-RGL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1F-DC-1-RR	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1F-DC-1-RRL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-

	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1F-DC-1-UU	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRB3-1F-DC-1-UUL	GP	16(4)	125-250	50-60	T85/55	1/2, 2/2	6K	10K	-	full 1.6	17A, 17B, 17C, 17D	-
	GP	16(4)	125-250	50-60	T85	1/2, 2/2	6K	10K	-			
SRC1-1A-DC-1-B	GP	10(4)	250	50-60	T85	1/1-1.2	6K	10000K	-	full 1.5	23A, 23B	-
	GP	10(4)	250	50-60	T85	1/2-2.3	6K	10000K	-			
	GP	10(4)	250	50-60	T85	1/2-3.2	6K	10000K	-			
SRC1-1A-DC-1-R	GP	10(4)	250	50-60	T85	1/1-1.2	6K	10000K	-	full 1.5	23A, 23B	-
	GP	10(4)	250	50-60	T85	1/2-2.3	6K	10000K	-			
	GP	10(4)	250	50-60	T85	1/2-3.2	6K	10000K	-			
SRC1-1D-DC-1-B	GP	10(4)	250	50-60	T85	1/1-1.2	6K	10000K	-	full 1.5	23A, 23B	-
	GP	10(4)	250	50-60	T85	1/2-2.3	6K	10000K	-			
	GP	10(4)	250	50-60	T85	1/2-3.2	6K	10000K	-			
SRC1-1F-	GP	10(4)	250	50-60	T85	1/1-1.2	6K	10000K	-	full 1.5	23A, 23B	-

DC-1-B												
	GP	10(4)	250	50-60	T85	1/2-2.3	6K	10000K	-			
	GP	10(4)	250	50-60	T85	1/2-3.2	6K	10000K	-			
SRC1-1G-DC-1-B	GP	10(4)	250	50-60	T85	1/1-1.2	6K	10000K	-	full 1.5	23A, 23B	-
	GP	10(4)	250	50-60	T85	1/2-2.3	6K	10000K	-			
	GP	10(4)	250	50-60	T85	1/2-3.2	6K	10000K	-			
SRC2-1A-DC-1-AL	GP	10(4)	250	50-60	T85	1/1-1.2	6K	10000K	-	full 1.5	23A, 23B	-
	GP	10(4)	250	50-60	T85	1/2-2.3	6K	10000K	-			
	GP	10(4)	250	50-60	T85	1/2-3.2	6K	10000K	-			
SRC2-1A-DC-1-GL	GP	10(4)	250	50-60	T85	1/1-1.2	6K	10000K	-	full 1.5	23A, 23B	-
	GP	10(4)	250	50-60	T85	1/2-2.3	6K	10000K	-			
	GP	10(4)	250	50-60	T85	1/2-3.2	6K	10000K	-			
SRC2-1A-DC-1-RL	GP	10(4)	250	50-60	T85	1/1-1.2	6K	10000K	-	full 1.5	23A, 23B	-
	GP	10(4)	250	50-60	T85	1/2-2.3	6K	10000K	-			
	GP	10(4)	250	50-60	T85	1/2-3.2	6K	10000K	-			
SRC2-1A-	GP	10(4)	250	50-60	T85	1/1-1.2	6K	10000K	-	full 1.5	23A, 23B	-

DC-1-UL											
	GP	10(4)	250	50-60	T85	1/2-2.3	6K	10000K	-		
	GP	10(4)	250	50-60	T85	1/2-3.2	6K	10000K	-		

Investigated to CSA-C22.2 No. 55

Cat. No.	Amps	Volts	Hz	Load	Endur- ance	Temp (°C)	POL/ THR	Circuit Code	SPCOA
PB-2A-AC-2-B	10	125	60	GP	6K	85	2/1 OR1/1	-/A or B	2
	6	250	60	GP	6K				
	-	125	60	1/2hp	6K				
	-	250	60	1/2hp	6K				
RH-2A-AC-01	10	125	60	GP	6K	55	2/M	PP/-	-
	10	250	60	GP	6K				
RH-2A-AC-01-AL	10	125	60	GP	6K	55	2/M	PP/-	-
	10	250	60	GP	6K				
RH-2A-AC-01-GL	10	125	60	GP	6K	55	2/M	PP/-	-
	10	250	60	GP	6K				
RH-2A-AC-01-RL	10	125	60	GP	6K	55	2/M	PP/-	-
	10	250	60	GP	6K				
RH-2A-AC-01-UL	10	125	60	GP	6K	55	2/M	PP/-	-
	10	250	60	GP	6K				
RH-2A-AC-01-WL	10	125	60	GP	6K	55	2/M	PP/-	-
	10	250	60	GP	6K				
RH-2D-AC-01	10	125	60	GP	6K	55	2/M	PP/-	-
	10	250	60	GP	6K				

Marking: Company name, catalog, model or part number, electrical ratings and the Recognized Component Mark for Canada,



on the product or on the smallest unit container in which the product is packaged.

Last Updated on 2022-07-05

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL Solutions' Follow - Up Service. Only those products bearing the UL Mark should be considered to be Certified and covered under UL Solutions' Follow - Up Service. Always look for the Mark on the product.

UL Solutions permits the reproduction of the material contained in Product iQ subject to the following conditions: 1. The Guide Information, Assemblies, Constructions, Designs, Systems, and/or Certifications (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from Product iQ with permission from UL Solutions" must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "©2022 UL LLC."